

Fiber-Cat[™]

Page : 1 / 12 Revision nr : 1.1

Issue date : 08/12/2022

Supersedes : 30/11/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product form	: Mixture		
Trade name	: Fiber-Cat™		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
1.2.1. Relevant identified uses			
Main use category	: Industrial uses, Professional uses		
Use of the substance/mixture	: Bio-Catalytic Treatment for Water & Production Equipment		
1.2.2. Uses advised against			
No additional information available			

1.3. Details of the supplier of the safety data sheet

Bio-Organic Catalyst, Inc. 711 W. 17th Street, Suite E-6 Costa Mesa, CA 92627, United States of America T 011 949-515-1301 Info@bio-organic.com

1.4. Emergency telephone number

Emergency number

: 011 917-513-8012

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not applicable.

2.3. Other hazards

Other hazards

: Causes mild skin and eye irritation. Results of PBT and vPvB assessment : Not applicable.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII



Page : 2 / 12 Revision nr : 1.1

Issue date : 08/12/2022

Fiber-Cat[™]

Supersedes : 30/11/2022

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Saccharomyces cerevisiae (Yeast)	(CAS-No.) 68876-77-7 (EC-No.) 614-750-7	> 89,5	Not classified
Alcohols, C11-15-Secondary, Ethoxylated, Butoxylated	(CAS-No.) 68131-40-8 (EC-No.) 614-295-4	< 5,5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Alcohols, C12-14-secondary, ethoxylated	(CAS-No.) 84133-50-6 (EC-No.) 617-534-0	< 4	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid meas	ures
Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically.
Inhalation	 Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	 Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	 Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	 Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. In case of doubt or persistent symptoms, consult always a physician.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	 Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Skin contact	: The following symptoms may occur: Redness.
Eyes contact	: The following symptoms may occur: Redness.
Ingestion	 Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
4.0 Indiantian of any increation.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Page : 3 / 12 Revision nr : 1.1

Issue date : 08/12/2022

Fiber-Cat[™]

Supersedes : 30/11/2022

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide (CO2), powder, alcohol-resistant foam, water spray. Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Strong water jet. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.
5.2. Special hazards arising from the sub	stance or mixture
Specific hazards	: Not flammable. Heating will cause a rise in pressure with a risk of bursting.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2).
5.3. Advice for firefighters	
Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self- contained breathing apparatus.
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
For non-emergency personnel	: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Avoid breathing vapours. Avoid contact with skin, eyes and clothing.	
6.1.2. For emergency responders		
For emergency responders	: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.	

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid
spill: take up in non-combustible absorbent material and shovel into container
for disposal. Recover large spills by pumping (use an explosion proof or hand
pump). Place in a suitable container for disposal in accordance with the waste
regulations (see Section 13). This material and its container must be disposed
of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.



Page : 4 / 12

Revision nr : 1.1

Issue date : 08/12/2022

Fiber-Cat[™]

Supersedes : 30/11/2022

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 or Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.
Hygiene measures	: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Remove contaminated clothes. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place. Avoid high temperatures > 45 °C Strong caustics and strong bases may affect the quality and condition of the product. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.
Maximum storage duration	 24 months The shelf life given is for unopened containers stored under moderate temperature conditions.
Packaging materials	: Keep only in the original container. Suitable material: No specific measures identified. Unsuitable material: No specific measures identified.

7.3. Specific end use(s)

For further information see section 1.

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Additional information	: No data available	
8.2. Exposure controls		
Engineering measure(s)	: Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling.	
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Protective gloves against chemicals and micro-organisms. Suitable material: Butyl rubber. NR (natural rubber, natural latex). Neoprene. NBR (Nitrile rubber). ethylene vinyl alcohol laminate (EVAL). Polyvinylchloride (PVC). Breakthrough time : > 480 min. Thickness. Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.	
Eye protection	: Use suitable eye protection (EN166): Safety glasses	
Body protection	: Wear suitable protective clothing. Wear suitable working clothes	
Respiratory protection	: Not required for normal conditions of use	
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.	





Fiber-Cat[™]

Page : 5 / 12

Revision nr : 1.1

Issue date : 08/12/2022

Supersedes : 30/11/2022

Environmental exposure controls

: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

<u>mical properties</u> : Liquid
: Liquid
: Pale yellow, amber
: Mild odour
: Not applicable
: Full strength concentrate 3.9 – 4.3
At recommended use dilutions, pH ranges 6.3 to 6.9
: < 0,01 (calculated value)
: No data available
: No data available
: > 100 °C (calculated value)
: > 93 °C (closed cup)
: No data available
: No data available
: Not applicable,liquid
: No data available
: No data available
: 1 (20 °C)
: Water: 100 % completely soluble
: No data available
: 2,337 cSt (40 °C)
: No data available
: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
: No data available
: Not applicable
: Not applicable : Not applicable



Fiber-Cat[™]

Revision nr : 1.1

Issue date : 08/12/2022

Supersedes : 30/11/2022

Page : 6 / 12

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1): < 0,01 (calculated value)</th>Other properties: Pour point : 2,22 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

High temperatures. See Section 7 for information on safe handling.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	: Not classified (Based on available data, the classification criteria are not met)
Fiber-Cat™	
LD50/oral/rat	> 5000 mg/kg
LD50/dermal/rabbit	> 2000 mg/kg
Alcohols, C11-15-Secondary, Eth	oxylated, Butoxylated (68131-40-8)
LD50/oral/rat	2100 mg/kg
LD50/dermal/rat	> 2000 mg/kg
Alcohols, C12-14-secondary, eth	oxylated (84133-50-6)
LD50/oral/rat	2100 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
	The information given on this Safety Data Sheet is based on tests done on the mixture itself. Final dermal irritation determination. It is a mild skin irritation based on a score of 2.09 compared to standard of draize score > 1.5, but < 2.3.
	pH: Full Strength Concentrate 3.9 – 4.3 At recommended use dilutions, pH ranges 6.3 to 6.9

At recommended use dilutions, pH ranges 6.3 to 6.9

	SAFETY DATA SHEET	Page : 7 / 12
		Revision nr : 1.1
		Issue date : 08/12/2022
BIO-ORGANIC CATALYST	Fiber-Cat™	Supersedes : 30/11/2022
Serious eye damage/irritation		
Serious eye damage/imitation	: Not classified (Based on available data, the	e classification criteria are not met)
Serious eye damage/irritation	Not classified (Based on available data, the The information given on this Safety Data mixture itself. Utilization of InVitro Internat used to evaluate the product and is classifi CLP classification, with an IDE score of 15.2 GHS Category 2B irritant.	Sheet is based on tests done on the ional's Irritection Assay System was ed as a mild ocular irritant, under El
Senous eye damage/irmation	The information given on this Safety Data mixture itself. Utilization of InVitro Internat used to evaluate the product and is classifi CLP classification, with an IDE score of 15.2	Sheet is based on tests done on the ional's Irritection Assay System was ed as a mild ocular irritant, under EU 2, which reflects a classification of
Respiratory or skin sensitisation	The information given on this Safety Data mixture itself. Utilization of InVitro Internat used to evaluate the product and is classifi CLP classification, with an IDE score of 15.2 GHS Category 2B irritant. pH: Full Strength Concentrate 3.9 – 4.3	Sheet is based on tests done on the ional's Irritection Assay System was ed as a mild ocular irritant, under El 2, which reflects a classification of 6.3 to 6.9
	The information given on this Safety Data mixture itself. Utilization of InVitro Internat used to evaluate the product and is classifi CLP classification, with an IDE score of 15.2 GHS Category 2B irritant. pH: Full Strength Concentrate 3.9 – 4.3 At recommended use dilutions, pH ranges	Sheet is based on tests done on the ional's Irritection Assay System was ed as a mild ocular irritant, under El 2, which reflects a classification of 6.3 to 6.9 e classification criteria are not met)
Respiratory or skin sensitisation	The information given on this Safety Data mixture itself. Utilization of InVitro Internat used to evaluate the product and is classifi CLP classification, with an IDE score of 15.2 GHS Category 2B irritant. pH: Full Strength Concentrate 3.9 – 4.3 At recommended use dilutions, pH ranges : Not classified (Based on available data, the	Sheet is based on tests done on the ional's Irritection Assay System was ed as a mild ocular irritant, under El 2, which reflects a classification of 6.3 to 6.9 e classification criteria are not met) e classification criteria are not met)

STOT-single exposure: Not classified (Based on available data, the classification criteria are not met)STOT-repeated exposure: Not classified (Based on available data, the classification criteria are not met)Aspiration bazard: Not classified (Based on available data, the classification criteria are not met)

Fiber-Cat™	
Kinematic viscosity	2,337 mm²/s (40 °C)
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
11.2.2 Other information	
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

SECTION 12: Ecological information	
12.1. Toxicity	
Environmental properties	: Not classified (CLP)
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long–term (chronic)	: Not classified

Fiber-Cat™	
	For this family of materials: LC50, fathead minnow (Pimephales promelas), static, 96 hrs. 100% survival rate at 1ppm.



Page : 8 / 12 Revision nr : 1.1

Issue date : 08/12/2022

Fiber-Cat[™]

Supersedes : 30/11/2022

LC50 - Fish [2]	Marine environment: The marine invertebrate species, Mysidopsis bahia (Americamysis bahia) and the marine vertebrate species, Menidia beryllin were used in the tests. For the marine invertebrate species, 48-Hour Acute Mysidopsis bahia survival test results: LC-50 -316.23 (ppm). The 96-Hour LC-50 (concentration at which 50% mortality is expected to occur) Menidia beryllina survival data was 203.04 (ppm).	
Alcohols, C12-14-secondary, ethoxylated (84133-50-6)		
LC50 - Fish [1]	3,2 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	

EC50 - Crustacea [1]	3,2 mg/l (Exposure time: 48 h - Species: water flea)
	-

12.2. Persistence and degradability

Fiber-Cat™	
Persistence and degradability	Inherently biodegradable. For this family of materials: OECD Guideline for Testing of Chemicals, 302 B, Inherent Biodegradability: Zahn- Wellens/EMPA-Test Adopted: July 17, 1992, as well as German Standard Procedures for Water, Waste Water and Sludge Testing, Test procedure with water organisms (Group L) Determination of the biodegradability, Static Test (L25),DIN 38 412, Part 25.
Biodegradation	> 58 % 48h, OECD 302B. > 75% - 28 Days.

12.3. Bioaccumulative potential

Fiber-Cat™	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	Low potential

12.4. Mobility in soil

Fiber-Cat™	
Mobility in soil	No data available

12.5. Results of PBT and vPvB assessment

Fiber-Cat™	
Results of PBT assessment	Not applicable

12.6. Endocrine	disrupting	properties	
		• •	

Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %
<u>12.7. Other adverse effects</u>	

Other adverse effects

: No data available. Not dangerous for the ozone layer.



Fiber-Cat[™]

Page : 9 / 12

Revision nr : 1.1

Issue date : 08/12/2022

Supersedes : 30/11/2022

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.
European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)	: Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or	r ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shi	pping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport haz	ard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	<u>)</u>			L.
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmenta	l hazards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	Nos	supplementary information	on available	

14.6. Special precautions for user

Special precautions for user

: No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport Not applicable

- Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC

: No data available.



Fiber-Cat[™]

Page : 10 / 12

Revision nr : 1.1

Issue date : 08/12/2022

Supersedes : 30/11/2022

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard	Alcohols, C11-15-Secondary, Ethoxylated,
classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard	Butoxylated ; Alcohols, C12-14-secondary,
classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on	ethoxylated
development, 3.8 effects other than narcotic effects, 3.9 and 3.10	

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Regulation (EC) No. 648/2004 (Detergents regulation)	: When sold to the general public, additional labelling is required. CONTAINS : 5 % or over, but less than 15 % non-ionic surfactants. The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer
	request of a detergent manufacturer.

15.1.2. National regulations

France				
No ICPE	Installations classées Désignation de la rubrie	que	Code Régime	Rayon
na	Not Applicable		na	na
Germany				
Regulatory refe	erence	: WGK 1, Slightly hazardous to water (Classification 1)	according to Aw	/SV, Anne>
German storag	je class (LGK)	: LGK 12 - Non-combustible liquids		
Hazardous Incident Ordinance (12. : Is not subject of the 12. BImSchV (Hazardous Incident Ord BImSchV)		lent Ordinance)		
Netherlands				
Waterbezwaarlijkheid		: B (5) - Weinig schadelijk voor in het water levende organismen		
SZW-lijst van kankerverwekkende : None of the components are listed stoffen				
SZW-lijst van r	nutagene stoffen	: None of the components are listed		
SZW-lijst van reprotoxische stoffen –				
SZW-lijst van reprotoxische stoffen –				
SZW-lijst van reprotoxische stoffen – : None of the components are listed Ontwikkeling				

	SAFETY DATA SHEET	Page : 11 / 12
		Revision nr : 1.1
		Issue date : 08/12/2022
BIO-ORGANIC CATALYST	Fiber-Cat™	Supersedes : 30/11/2022

15.2. Chemical safety assessment

Not applicable

SECTION 16: Other information

Abbreviations ar	۱d	acronyms:	

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du
Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the
datasheet: ECHA (European Chemicals Agency), supplier sds, supplier information, Loli.Training advice: Training staff on good practice.Other information: Classification - Assessment method: CLP Calculation method (Article 9).

Serious eye damage/eye irritation. skin irritation : Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

	SAFETY DATA SHEET	Page : 12 / 12 Revision nr : 1.1
		Issue date : 08/12/2022
BIO-ORGANIC CATALYST THE POWER IN KATURE?	Fiber-Cat™	Supersedes : 30/11/2022

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H332	Harmful if inhaled
Skin Irrit. 2	Skin corrosion/irritation, Category 2

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.