

# ECCOMATE® MUNICIPAL & INDUSTRIAL ODOR CONTROL



**Eccomate**<sup>®</sup> instantly neutralizes organic odors and volatile organic compounds (VOCs), offering exceptional odor control and reduction of VOC emissions.

**Eccomate**<sup>®</sup> is a highly-concentrated bio-catalytic composition with extraordinary oxygen transfer capabilities. **Eccomate**<sup>®</sup> will treat the entire spectrum of organic waste odor issues.

- Neutralizes all noxious odors on contact.
- Reduces VOC emissions, including greenhouse gases.
- Accelerates composting rates.
- Promotes aerobic biological conditions.
- Effective at high dilutions in misting and spray systems.
- Suitable for garbage trucks, conveyor belts, bio-solids, dewatering, food waste processing, landfills, and recycling facilities.

**Eccomate**<sup>®</sup> stimulates the vitality of indigenous microorganisms by providing substantial improvement in oxygen availability, and the release of waste components for accelerated consumption by indigenous microorganisms.

**Eccomate**<sup>®</sup> will improve facility management of odors and VOCs and increase the safety of operating personnel.

# NON-TOXIC AND SAFE

# SEAL OF SAFETY™

The Bio-Organic Seal of Safety<sup>™</sup> is our trademark declaration of our commitment to offering green biocatalytic solutions that shift the treatment of our water resources to a more sustainable ecological model.

#### DIRECTIONS FOR USE

Application rates can be increased proportionately to the area being treated and most importantly, the dispensing system being deployed at the site.

#### **Application Dilutions:**

**Spray Applications:** 1 x 50 of **Eccomate**<sup>®</sup> in water.

FOG/Misting: 1 x 2,000 of Eccomate® in water.

## **PRODUCT SPECIFICATIONS**

**Eccomate**<sup>®</sup> is non-toxic, non-caustic, and safe to handle, with a recommended shelf life of two years. May be stored with confidence at temperatures below 122°F/50°C.

#### CONTENTS

Water, highly purified yeast extracts, non-ionic surfactants.

## CAUTION

Keep out of the reach of children. If product from this container splashes in eyes, rinse well with water.

#### Information on Basic Physical and Chemical Properties

Appearance Physical State Color Odor pH

**Freezing Point** 

Flash Point Density (water = 1)

Water Solubility

Pour Point

**Kinematic Viscosity** 

Boiling Point (760 mmHg)

Liquid Colorless - pale amber Mild Full Strength Concentrate 3.9 – 4.3 At recommended use dilutions, pH ranges 6.3 to 6.9 See Pour Point > 100 °c at 760 mmHg Calculated ASTM D 93 Closed Cup >93oC 1.002 @ 20°C / 20°C 100% in water @ 40oC 2.3373 cst 2.22°C or (+28°F)

Environmental fate: Persistence and Degradability: The material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

> ECCOMATE® MANUFACTURED IN THE USA UNDER DOMESTIC AND INTERNATIONAL PATENTS

> > bio-organic.com